

## Electronic Supplementary Material

### Conservative Evolution of Hepatitis B Virus Precore and Core Gene during Immune Tolerant Phase in Intrafamilial Transmission

Yuqian Luo<sup>1#</sup>, Le Zhang<sup>1#</sup>, Yimin Dai<sup>2</sup>, Yali Hu<sup>2</sup>, Biyun Xu<sup>3</sup>, Yi-Hua Zhou<sup>1,4</sup>✉

1. Department of Laboratory Medicine, Nanjing Drum Tower Hospital and Jiangsu Key Laboratory for Molecular Medicine, Nanjing University Medical School, Nanjing 210008, China

2. Department of Obstetrics and Gynecology, Nanjing Drum Tower Hospital, Nanjing University Medical School, Nanjing 210008, China

3. Department of Biostatistics, Nanjing Drum Tower Hospital, Nanjing University Medical School, Nanjing 210008, China

4. Department of Infectious Diseases, Nanjing Drum Tower Hospital, Nanjing Medical University, Nanjing 210008, China

Supporting information to DOI: 10.1007/s12250-020-00194-6

**Table S1.** Primers used in the amplification of pre-C/C gene in hepatitis B virus

Primer name	Nucleotide sequence
C1 forward	5'-GACAAGCCTGTAGCCCATGT-3'
C1 reverse	5'-TTGATGGCAGAGAGGAGGTT-3'
C2 forward	5'-ACCTATGACCACACAACCATCCTG-3'
C2 reverse	5'-CCACATCATAACCTCCTCCTA-3'
C3 forward	5'-GATTCCCACACTCAGTTCTGCTTC-3'
C3 reverse	5'-GCACCACTCACAGTGTTCGGAC-3'
C4 forward	5'-CTGGCAGACATGGGGATAGTGTG-3'
C4 reverse	5'-CTGATGGTGGTGTGGCTTGTGCT-3'